

This product dries on surfaces to create an invisible antimicrobial shield that eliminates mold, prevents new mold growth, and gets rid of musty odors. Contains no bleach, ammonia, alcohol or VOCs. Odorless and colorless. Stops mold on hard surfaces and fabrics.

Use to eliminate and prevent mold in basements, bathrooms, boat interiors and RV's. Can be used for pretreatment of building materials for mold resistance.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

MOLD AND MILDEW CONTROL ON WOOD, WALLBOARD, FABRIC, CONCRETE AND MASONRY (CINDER) BLOCK, AND CONSTRUCTION MATERIALS IN BUILDINGS.

This product is effective against mold and mildew organisms on both hard and fabric building materials that have been subjected to wet environments. Before applying correct conditions favorable to mold growth.

READ LABEL BEFORE USING.

Ready to use - Do not dilute.

This product is suitable for use on hard non-porous and fabric surfaces. If in doubt, test on a small section. Wipe materials vulnerable to water marks immediately after contact with this product. Over-application may result in residue formation, which can be easily wiped away with product dampened cloth.

Apply this product by cloth, hand spray, electric or compression sprayer, cold fogger, paintbrush, roller, or immersion. Expect 800-1,600 sq. ft. of surface coverage per gallon depending on surface type and application method. For use in home, office, institution or business.

PREVENTATIVE TREATMENT

To prevent mold and mildew growth on surfaces:

- 1) Apply this product on area until evenly wet.
- 2) If desired, wipe off excess wetness.
- 3) Allow treated surfaces to dry completely.

REMEDIAL TREATMENT

This product must be used as part of a comprehensive mold remediation or water damage restoration program, including:

- Monitoring for conditions favorable to mold growth such as moisture ingress and high relative humidity.
- Eliminating conditions favorable to mold growth.
- Drying affected areas to below 20% moisture content.

This product must come in direct contact with mold to be effective.

Small Areas - Total Surface Area Affected Less Than 30 Square Feet.

Areas of growth less than 30 square feet (area of a single wall panel) can normally be remediated easily. If ceiling tiles or other easily removable items are moldy, remove them, seal in a plastic bag and dispose with normal trash. If the surface is not easily replaceable:

Manufactured By:

CANBERRA CORPORATION

3610 N. Holland-Sylvania Rd.

Toledo, OH 43615

P 419-841-6616 • F 419-841-7597

- 1) Remove heavy soil.
- 2) Apply this product on area until evenly wet.
- 3) If desired, wipe off excess wetness.
- 4) Allow treated surfaces to dry completely.

This product will not whiten stains on contact. In some cases, staining may be irreversible. If additional steps are taken to remove or cover the stain, reapply this product as a final step to protect area from regrowth.

Large Areas - Total Surface Area Affected Greater Than 30 Square Feet.

Areas larger than 30 square feet require special procedures and individuals trained in remediation. Refer to the recommended websites for guidelines on remediation. Before using this product to mitigate large areas, you should understand one or more of these guidelines. Follow these guidelines to apply this product.

When water damage is suspected, first eliminate the water source. Next, remove excess water and dry surfaces thoroughly. This product can be used on materials removed for disposal. If excess water is removed within 24 hours, spraying affected surfaces with this product will prevent growth. Building materials exposed to water in excess of 24 hours may have extensive microbial growth that is not visible. Prepare a complete assessment and remediation plan to incorporate product use.

Consult the following websites for remediation guidance.

Recommended Mold and Mildew Remediation Websites

IAQA - Indoor Air Quality Association (www.iaqa.org)

EPA - Environmental Protection Agency (www.epa.gov)

New York City "Guidelines on Assessment and Remediation of Fungi in Indoor Environments" (www.nyc.gov)

IICRC - Institute of Inspection, Cleaning and Restoration Certification (www.iicrc.org)

Reapplication

Reapply weekly or when growth or odor reappears. Determine and correct the cause of re-growth and ensure surface is thoroughly dried before reapplication. Reapply this product if surfaces are washed or painted.

Personal Protection Equipment Requirements for Applicators

For areas less than 30 sq. feet, an N-95 respirator, gloves and goggles/eye protection are recommended to avoid mold or mold spore exposure. For areas greater than 30 sq. ft., use an N-95 respirator or half-face respirator with HEPA filter, disposable overalls, gloves and goggles/eye protection.

STORAGE AND DISPOSAL

Store in original container in area inaccessible to small children. Keep securely closed. Nonrefillable container. Do not reuse or refill this container. Rinse thoroughly. Offer for recycling if available or discard in trash.

U.S. Patent No. 6,184,198 and 6,225,279.

Other patents pending.



HUSKY® 418

MOLD CONTROL

Eliminates mold and mildew

Prevents mold growth

Kills musty odors

Contains no bleach,
ammonia, alcohol, acid,
or VOC'S

ACTIVE INGREDIENT

Sodium Carbonate..... 0.95%

OTHER INGREDIENTS 99.05%

TOTAL 100.00%



11217

NET CONTENTS:

One Quart (32 Fl. Oz.) 946 ml

EPA REG. NO. 82552-1-8155

EPA EST. NO. 8155-OH-1

**KEEP OUT OF REACH
OF CHILDREN**