

This product is for use on hard, non-porous surfaces in hospitals, nursing homes, medical and dental offices, patient care rooms & facilities, emergency vehicles, crime scenes, correctional facilities, hotels and motels, public restrooms, shower rooms, public transportation, institutions, schools, athletic facilities and locker rooms, exercise facilities, spas, and tanning salons. This product when used as directed is formulated for use on washable hard, non-porous surfaces such as: countertops, sinks, tub surfaces, non-food contact surfaces of drinking fountains, tanning spas/beds, shower stalls, shower doors, glazed tile and restroom fixtures, toilet bowl surfaces, windows and mirrors, tables, chairs, garbage cans/pails, glass surfaces, metal, stainless steel, glazed porcelain, glazed ceramic, plastic such as polycarbonate or polypropylene, sealed stone, wrestling and gymnastic mats, athletic training tables, physical therapy tables, exercise equipment and telephones. This product is a phosphate-free formulation designed to provide effective cleaning, deodorizing and disinfection in areas where housekeeping is of prime importance in controlling the hazard of cross contamination on treated hard, non-porous surfaces.

DISINFECTION PERFORMANCE IN INSTITUTIONS (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions) AND NON-MEDICAL FACILITIES (Schools and Other Non-Medical Facilities): This product kills the following bacteria in 10 minutes at 4 oz. per gallon of water (488 ppm active) with 5% soil on hard, non-porous surfaces: *Corynebacterium ammoniagenes*, *Enterococcus faecalis*, *Enterococcus faecalis* (VRE) Vancomycin Resistant, *Escherichia coli*, *Klebsiella pneumoniae*, *Legionella pneumophila*, *Proteus mirabilis*, *Pseudomonas aeruginosa*, *Salmonella enterica*, *Salmonella schottmuelleri*, *Serratia marcescens*, *Shigella dysenteriae*, *Staphylococcus aureus*, *Staphylococcus aureus* (MRSA) Methicillin resistant, *Staphylococcus aureus* (CA MRSA) Community Acquired Methicillin Resistant, *Streptococcus salivarius*.

VIROCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 4 oz. per gallon of water (488 ppm active) with 5% soil on hard, non-porous surfaces: Avian Influenza A Virus (H5N1), Herpes Simplex Type 1 Virus, Herpes Simplex Type 2 Virus, Hepatitis B Virus** (HBV), Hepatitis C Virus** (HCV), Human Coronavirus, Human Immunodeficiency Virus Type 1‡ (HIV-1) (AIDS Virus), Influenza A/Hong Kong, Vaccinia Virus. † *Indicates a 2 minute contact time is required for this claim. ** Indicates that a dilution of 6 oz. per gal. of water is required for this claim.*

FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes at 4 oz. per gallon of water (488 ppm) on hard, non-porous surfaces: *Trichophyton mentagrophytes* (Athlete's foot fungus) (a cause of Ringworm).

MILDEWSTATIC PERFORMANCE: This product controls the following mold in 10 minutes at 4 oz. per gallon of water (488 ppm) in 400 ppm hard water, 5% soil on hard non-porous surfaces: *Aspergillus niger*.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not for use on medical device surfaces.

FOR USE AS A GENERAL, HOSPITAL DISINFECTANT/VIROCIDAL*: Prepare a use solution of 4 oz. of this product per gal. of water (488 ppm) for effectiveness against designated public health viruses on the label. **For HBV and HCV use a 6 oz. per gal. (730 ppm) prepared use solution.

1. Pre-clean heavily soiled areas.
2. Apply use solution to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, mechanical spray device, hand pump, coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray.
3. Treated surfaces must remain wet for 10 minutes.
4. Wipe dry with a clean cloth or allow to air dry.
5. Prepare a fresh solution daily or when visibly dirty.

***KILLS HIV, HBV AND HCV ON PRE-CLEANED HARD, NON-POROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. Personal Protection: Wear protective latex gloves, gowns, masks and eye protection. **Cleaning Procedure:** Blood and other body fluids containing HIV-1, HBV & HCV must be thoroughly cleaned from hard, non-porous surfaces and objects before application of this product. **Disposal of Infectious Materials:** Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **Contact Time:** Allow hard, non-porous surface to remain wet for 2 minutes to kill HIV and 10 minutes for all other organisms.

CANBERRA CORPORATION
3610 N. Holland-Sylvania Rd.
Toledo, OH 43615
P 419-841-6616 • F 419-841-7597

TO KILL FUNGI: Pre-clean hard, non-porous surfaces. Prepare use solution by adding 4 oz. of this product per gal. of water (or equivalent dilution). Apply use solution to hard, non-porous surfaces. Allow surface to remain wet for 10 minutes. Wipe surfaces (and let air dry).

TO CONTROL MOLD/MILDEW: To Control Mold and Mildew and the odors caused by them when applied to hard, non-porous surfaces. Prepare use solution by adding 4 oz. of this product per gal. of water (or equivalent dilution). Apply use solution to pre-cleaned hard, non-porous surfaces for 10 minutes which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears. **TO CONTROL THE GROWTH OF MOLD AND MILDEW ON NON-POROUS ATHLETIC EQUIPMENT:** For use on wrestling and gymnastic mats, athletic training tables, physical therapy tables, athletic helmets, wrestling/boxing headgear, athletic shoe soles, and other hard, non-porous surfaces. Thoroughly clean all surfaces with soap or detergent and rinse with water. Prepare a use solution of 4 oz. of this product per gal. of water (or equivalent use dilution). Apply use-solution by sponge, brush, cloth, mop, by immersion, mechanical spray device, hand pump, coarse pump or trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Allow surfaces to remain wet for a period of 10 minutes. Do not use equipment until treatment has been absorbed, set or dried. Repeat treatment every seven days, or more often if new growth appears.

FOR USE TO CLEAN AND DISINFECT SHOWER ROOMS, LOCKER ROOMS AND OTHER LARGE OPEN AREAS WITH FLOOR DRAINS:

1. Pre-clean heavily soiled areas.
2. Apply use solution of 4 oz. per gal. of water (488 ppm active) (or equivalent use dilution) to floors, walls and ceilings, making sure not to over spray. To disinfect, all hard, non-porous surfaces must remain wet for 10 minutes.
3. Scrub surface using deck brush or other coarse material as necessary.
4. Rinse surfaces thoroughly and let air dry.
5. Prepare a fresh solution daily or when visibly dirty.

FOR USE AS A GENERAL CLEANER AND/OR DEODORIZER: Apply use solution of 4 oz. of this product per gal. of water to hard, non-porous surfaces. Wipe up excess liquid with a paper towel or allow to air dry. For heavy-duty use, apply 8 oz. of this product per gal. of water to clean hard, non-porous surfaces. **GLASS CLEANING/DEODORIZING DIRECTIONS:** Use a 4 oz. of this product per gal. of water use solution to clean and deodorize windows, mirrors, and glass surfaces. Use a coarse spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Rub with sponge or cloth. Change cloth, sponge or towels frequently to avoid re-deposition of soil.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING. Causes substantial but temporary eye injury. Harmful if absorbed through the skin or inhaled. Avoid contact with skin and breathing spray mist. Do not get in eyes or on clothing. Wear goggles or face shield and rubber gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container 1/4 full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

EPA REG. NO. 10324-167-8155 EPA EST. NO. 8155-OH-1

E15

REV081617 PINE



HUSKY® 802 HIGH FRAGRANCE DETERGENT/ DISINFECTANT

Cleaner, Disinfectant

Fungicide, Deodorizer

Virucide*, Mildewstat

Antibacterial

Athletic surface disinfectant

For use in hospitals, nursing homes, institutions, industrial sites and schools.

NET CONTENTS:

1 Gallon (128 Fl. Oz.) 3.78 Liters

ACTIVE INGREDIENTS:

Alkyl (60% C14, 30% C16, 5% C12, 5% C18)
Dimethyl Benzyl Ammonium Chloride 0.78%

Alkyl (68% C12, 32% C14)
Dimethyl Ethylbenzyl Ammonium Chloride 0.78%

OTHER INGREDIENTS: 98.44%

TOTAL: 100.00%

KEEP OUT OF REACH OF CHILDREN WARNING ADVERTENCIA

See side panel for additional precautionary statements.

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

