

For use in hospitals and nursing homes as a disinfectant. Use in schools, colleges, universities, commercial and industrial institutions, office buildings, veterinary clinics, pet shops, zoos, airports, hotels, poultry farms and grooming establishments. Disinfects, cleans, sanitizes, and deodorizes the following hard, nonporous, inanimate surfaces: floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, plastic surfaces (such as polypropylene, polystyrene, acrylic, etc.) For use in federally inspected meat and poultry plants, as a disinfectant agent for use in all departments. Food products and packaging materials must be removed from the room or carefully protected. Use product in accordance with its label. All surfaces must be thoroughly rinsed with potable water.

Effective against the following pathogens:

Bacteria: *Pseudomonas aeruginosa*², *Staphylococcus aureus*², *Salmonella enterica*, *Acinetobacter calcoaceticus*, *Bordetella bronchiseptica*, *Chlamydia psittaci*, *Staphylococcus aureus* - Community Associated Methicillin - Resistant (CA-MRSA) (NRS384) (USA300), *Staphylococcus aureus* - Community Associated Methicillin - Resistant (CA-MRSA) (NRS123) (USA400), *Enterobacter cloacae* - NDM-1, *Enterococcus faecalis* - Vancomycin Resistant (VRE), *Escherichia coli* - NDM-1, *Fusobacterium necrophorum*, *Klebsiella aerogenes*, *Klebsiella pneumoniae*², *Klebsiella pneumoniae* - NDM-1, *Legionella pneumophila*, *Listeria monocytogenes*, *Pasteurella multocida*, *Proteus mirabilis*, *Proteus vulgaris*, *Salmonella enteritidis*, *Salmonella typhi*, *Serratia marcescens*, *Shigella flexneri*, *Shigella sonnei*, *Staphylococcus aureus* - Methicillin Resistant (MRSA), *Staphylococcus aureus* - Vancomycin Intermediate Resistant (VISA), *Staphylococcus epidermidis*³, *Streptococcus faecalis*², *Streptococcus pyogenes* (Strep).

Viruses: *Adenovirus Type 7 - at 8 oz. per gallon, *Hepatitis B Virus (HBV), *Hepatitis C Virus (HCV), *Herpes Simplex Virus Type 1, *Herpes Simplex Virus Type 2, *Human coronavirus, *HIV-1 (AIDS virus), *Influenza A Virus, *Rotavirus (WA), *Respiratory Syncytial Virus (RSV), *Rubella Virus, *SARS Associated Coronavirus, *SARS-Related Coronavirus 2 (SARS-CoV-2), *Vaccinia virus.

Animal Viruses: *Avian Influenza virus (H5N1), *Avian polyomavirus, *Canine distemper virus, *Feline leukemia virus, *Feline picornavirus, *Infectious bovine rhinotracheitis virus, *Infectious bronchitis virus (Avian IBV), *Newcastle Disease virus, *Pseudorabies virus (PRV), *Rabies virus, *Transmissible Gastroenteritis virus (TGE).

Fungi: *Aspergillus niger*, *Candida albicans*, *Trichophyton interdigitale* (Athlete's Foot Fungus) (may cause Ringworm).

If you don't understand the label, find someone to explain it to you in detail.

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

DISINFECTION DILUTION: 1:64 (660 ppm quat) 2 ounces per gallon of water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not for use on medical device surfaces.

DISINFECTION / CLEANING / DEODORIZING DIRECTIONS: Remove visible soil deposits from surface, then visibly wet surface with a use-solution of 2 ounces of the concentrate per gallon of water. Use 8 oz. per gallon of water to kill Adenovirus Type 7. The use-solution can be applied with a cloth, mop, sponge, or coarse spray or by soaking. For sprayer applications, use a coarse spray device. Spray 6-8 inches from the surface, rub with a brush, cloth or sponge. Do not breathe spray. Let solution remain visibly wet on surface for a minimum of 10 minutes. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. For SARS-CoV-2, treated surfaces⁴ must remain visibly wet for 1 minute. Food contact surfaces must be thoroughly rinsed with potable water. This product must not be used to clean the following food contact surfaces: utensils, glassware and dishes.

For Human Coronavirus, treated surfaces must remain visibly wet for 1 minute. Wipe dry with a clean cloth, sponge or mop or allow to air dry. **For Influenza Virus Type A,** treated surfaces must remain visibly wet for 2 minutes. Wipe dry with a clean cloth, sponge or mop or allow to air dry.

Prepare a fresh use-solution daily or more often if the solution becomes visibly dirty or diluted.

TOILET BOWLS: Swab bowl with brush to remove visible soil prior to cleaning or disinfecting. Clean by applying use-solution around the bowl and up under the rim. Stubborn stains may require brushing. To disinfect, first pre-clean to remove visible soil, then remove or expel over the inner trap the residual bowl water. Pour in three ounces of the diluted solution. Allow surface to remain visibly wet for a contact time of 10 minutes, then flush.

²ATCC & antibiotic-resistant strain

³Antibiotic-resistant strain only

⁴Hard, non-porous surfaces

Manufactured By:
CANBERRA CORPORATION
3610 N. Holland-Sylvania Rd.
Toledo, OH 43615
P 419-841-6616 • F 419-841-7597

FUNGICIDAL DIRECTIONS: For use in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities follow disinfection directions.

MILDEWSTATIC INSTRUCTIONS: Will effectively control the growth of mold and mildew, plus the odors caused by them when applied to hard, nonporous surfaces such as walls, floors, and table tops. Apply use-solution of 2 ounces per gallon of water with a cloth, mop, sponge or coarse spray. Make sure to visibly wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears.

***KILLS HIV-1 (AIDS VIRUS) AND HBV (HEPATITIS B VIRUS) AND HCV (HEPATITIS C VIRUS) ON PRECLEANED, HARD NON-POROUS ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1(HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR DISINFECTION, CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OR HBV OR HCV ON SURFACES/OBJECTS SOILED WITH BLOOD / BODY FLUIDS:

PERSONAL PROTECTION: Disposable protective gloves, gowns, face masks and eye coverings must be worn during all cleaning of blood/body fluids and during decontamination procedures.

CLEANING PROCEDURES: Blood/body fluids must be visibly cleaned from surfaces/objects before application of disinfectant.

CONTACT TIME: Mix 2 oz. of product per gallon of water. HIV-1 (AIDS Virus) is inactivated after a contact time of 4 minutes at 25°C (77°F) room temperature. HBV and HCV are inactivated after a 10 minute contact time. Use appropriate contact time as listed on label for all other viruses, bacteria, and fungi claimed.

DISPOSAL OF INFECTIOUS MATERIALS: Blood/body fluids must be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

VETERINARY PRACTICE / ANIMAL CARE / ANIMAL LABORATORY / ZOOS / PET SHOP / KENNELS DISINFECTION DIRECTIONS: For cleaning and disinfecting hard nonporous surfaces: equipment used for animal food or water, utensils, instruments, cages, kennels, stables, catteries, etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Visibly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of 2 oz. of this product per gallon of water. Allow surfaces to remain visibly wet for a period of 10 minutes. Use 8 oz per gallon of water to kill Adenovirus Type 7. Immerse all animal handling and restraining equipment as well as forks, shovels and scrapers used to remove litter and manure. Wipe or allow to air dry. Ventilate buildings and other closed spaces. Thoroughly scrub all treated surfaces that come into contact with food, including equipment used for feeding or watering, with soap or detergent and rinse with potable water before reuse. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

For Heavy Duty Cleaning and/or Odor Control: When greater cleaning is desired, use 4-8 oz. of this product per gallon of water. Visibly soiled areas may require repeated cleaning before treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Open dumping is prohibited. Store in original container in areas inaccessible to children.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER, Corrosive. Causes irreversible eye damage. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Harmful if inhaled. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.



Trio

Sparkling Citrus Fragrance

800

One-Step Disinfectant

Cleans & Deodorizes

Fungicidal

NET CONTENTS:

One Gallon (128 Fl. Oz.) (3.78 liters)

ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride 2.54%

n-Alkyl (C₁₄ 50%, C₁₂ 40%, C₁₆ 10%)

dimethyl benzyl ammonium chloride.....1.69%

INERT INGREDIENTS: 95.77%

TOTAL: 100.00%

EPA REG. NO. 47371-131-8155 EPA EST. NO. 8155-OH-1

KEEP OUT OF REACH OF CHILDREN DANGER

See back panel for Precautionary Statements.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.



010522 Label#2408

For use in hospitals and nursing homes as a disinfectant. Use in schools, colleges, universities, commercial and industrial institutions, office buildings, veterinary clinics, pet shops, zoos, airports, hotels, poultry farms and grooming establishments.

Disinfects, cleans, sanitizes, and deodorizes the following hard, nonporous, inanimate surfaces: floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, plastic surfaces (such as polypropylene, polystyrene, acrylic, etc.)

For use in federally inspected meat and poultry plants, as a disinfectant agent for use in all departments. Food products and packaging materials must be removed from the room or carefully protected. Use product in accordance with its label. All surfaces must be thoroughly rinsed with potable water.

Effective against the following pathogens:

Bacteria: Pseudomonas aeruginosa², Staphylococcus aureus², Salmonella enterica, Acinetobacter calcoaceticus, Bordetella bronchiseptica, Chlamydia psittaci, Staphylococcus aureus - Community Associated Methicillin - Resistant (CA-MRSA) (NRS384) (USA300), Staphylococcus aureus - Community Associated Methicillin - Resistant (CA-MRSA) (NRS123) (USA400), Enterobacter cloacae - NDM-1, Enterococcus faecalis - Vancomycin Resistant (VRE), Escherichia coli - NDM-1, Fusobacterium necrophorum, Klebsiella aerogenes, Klebsiella pneumoniae², Klebsiella pneumoniae - NDM-1, Legionella pneumophila, Listeria monocytogenes, Pasteurella multocida, Proteus mirabilis, Proteus vulgaris, Salmonella enteritidis, Salmonella typhi, Serratia marcescens, Shigella flexneri, Shigella sonnei, Staphylococcus aureus - Methicillin Resistant (MRSA), Staphylococcus aureus - Vancomycin Intermediate Resistant (VISA), Staphylococcus epidermidis³, Streptococcus faecalis², Streptococcus pyogenes (Strep).

Viruses: *Adenovirus Type 7 - at 8 oz. per gallon, *Hepatitis B Virus (HBV), *Hepatitis C Virus (HCV), *Herpes Simplex Virus Type 1, *Herpes Simplex Virus Type 2, *Human coronavirus, *HIV-1 (AIDS virus), *Influenza A Virus, *Rotavirus (WA), *Respiratory Syncytial Virus (RSV), *Rubella Virus, *SARS Associated Coronavirus, *SARS-Related Coronavirus 2 (SARS-CoV-2), *Vaccinia virus.

Animal Viruses: *Avian Influenza virus (H5N1), *Avian polyomavirus, *Canine distemper virus, *Feline leukemia virus, *Feline picornavirus, *Infectious bovine rhinotracheitis virus, *Infectious bronchitis virus (Avian IBV), *Newcastle Disease virus, *Pseudorabies virus (PRV), *Rabies virus, *Transmissible Gastroenteritis virus (TGE).

Fungi: Aspergillus niger, Candida albicans, Trichophyton interdigitale (Athlete's Foot Fungus) (may cause Ringworm).

If you don't understand the label, find someone to explain it to you in detail.

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

DISINFECTANT DILUTION: 1:64 (660 ppm quat) 2 ounces per gallon of water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not for use on medical device surfaces.

DISINFECTION / CLEANING / DEODORIZING DIRECTIONS: Remove visible soil deposits from surface, then visibly wet surface with a use-solution of 2 ounces of the concentrate per gallon of water. Use 8 oz. per gallon of water to kill Adenovirus Type 7. The use-solution can be applied with a cloth, mop, sponge, or coarse spray or by soaking. For sprayer applications, use a coarse spray device. Spray 6-8 inches from the surface, rub with a brush, cloth or sponge. Do not breathe spray. Let solution remain visibly wet on surface for a minimum of 10 minutes. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. For SARS-CoV-2, treated surfaces* must remain visibly wet for 1 minute. Food contact surfaces must be thoroughly rinsed with potable water. This product must not be used to clean the following food contact surfaces: utensils, glassware and dishes.

For Human Coronavirus, treated surfaces must remain visibly wet for 1 minute. Wipe dry with a clean cloth, sponge or mop or allow to air dry.

For Influenza Virus Type A, treated surfaces must remain visibly wet for 2 minutes. Wipe dry with a clean cloth, sponge or mop or allow to air dry.

Prepare a fresh use-solution daily or more often if the solution becomes visibly dirty or diluted.

TOILET BOWLS: Swab bowl with brush to remove visible soil prior to cleaning or disinfecting. Clean by applying use-solution around the bowl and up under the rim. Stubborn stains may require brushing. To disinfect, first preclean to remove visible soil, then remove or expel over the inner trap the residual bowl water. Pour in three ounces of the diluted solution. Allow surface to remain visibly wet for a contact time of 10 minutes, then flush.

²ATCC & antibiotic-resistant strain

³Antibiotic-resistant strain only

⁸Hard, non-porous surfaces

Manufactured By:
CANBERRA CORPORATION
3610 N. Holland-Sylvania Rd.
Toledo, OH 43615
P 419-841-6616 • F 419-841-7597

FUNGICIDAL DIRECTIONS: For use in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities follow disinfection directions.

MILDEWSTATIC INSTRUCTIONS: Will effectively control the growth of mold and mildew, plus the odors caused by them when applied to hard, nonporous surfaces such as walls, floors, and table tops. Apply use-solution of 2 ounces per gallon of water with a cloth, mop, sponge or coarse spray. Make sure to visibly wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears.

***KILLS HIV-1 (AIDS VIRUS) AND HBV (HEPATITIS B VIRUS) AND HCV (HEPATITIS C VIRUS) ON PRECLEANED, HARD NON-POROUS ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1(HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR DISINFECTION, CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OR HBV OR HCV ON SURFACES/OBJECTS SOILED WITH BLOOD / BODY FLUIDS:

PERSONAL PROTECTION: Disposable protective gloves, gowns, face masks and eye coverings must be worn during all cleaning of blood/body fluids and during decontamination procedures.

CLEANING PROCEDURES: Blood/body fluids must be visibly cleaned from surfaces/objects before application of disinfectant.

CONTACT TIME: Mix 2 oz. of product per gallon of water. HIV-1 (AIDS Virus) is inactivated after a contact time of 4 minutes at 25°C (77°F) room temperature. HBV and HCV are inactivated after a 10 minute contact time. Use appropriate contact time as listed on label for all other viruses, bacteria, and fungi claimed.

DISPOSAL OF INFECTIOUS MATERIALS: Blood/body fluids must be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

VETERINARY PRACTICE / ANIMAL CARE / ANIMAL LABORATORY / ZOOS / PET SHOP / KENNELS DISINFECTION DIRECTIONS: For cleaning and disinfecting hard nonporous surfaces: equipment used for animal food or water, utensils, instruments, cages, kennels, stables, catteries, etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Visibly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of 2 oz. of this product per gallon of water. Allow surfaces to remain visibly wet for a period of 10 minutes. Use 8 oz per gallon of water to kill Adenovirus Type 7. Immerse all animal handling and restraining equipment as well as forks, shovels and scrapers used to remove litter and manure. Wipe or allow to air dry. Ventilate buildings and other closed spaces. Thoroughly scrub all treated surfaces that come into contact with food, including equipment used for feeding or watering, with soap or detergent and rinse with potable water before reuse. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

For Heavy Duty Cleaning and/or Odor Control: When greater cleaning is desired, use 4-8 oz. of this product per gallon of water. Visibly soiled areas may require repeated cleaning before treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Open dumping is prohibited. Store in original container in areas inaccessible to children.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Harmful if inhaled. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.



Trio

Fresh Lavender Fragrance

800

One-Step Disinfectant

Cleans & Deodorizes

Fungicidal

ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride2.54%
n-Alkyl (C₁₄ 50%, C₁₂ 40%, C₁₆ 10%)
dimethyl benzyl ammonium chloride.....1.69%

INERT INGREDIENTS: 95.77%

TOTAL: 100.00%

EPA REG. NO. 47371-131-8155 EPA EST. NO. 8155-OH-1

KEEP OUT OF REACH OF CHILDREN DANGER

See back panel for Precautionary Statements.

FIRST AID
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.
NOTETO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

NET CONTENTS:

One Gallon (128 Fl. Oz.) (3.78 liters)



010522 Label#2413

For use in hospitals and nursing homes as a disinfectant. Use in schools, colleges, universities, commercial and industrial institutions, office buildings, veterinary clinics, pet shops, zoos, airports, hotels, poultry farms and grooming establishments. Disinfects, cleans, sanitizes, and deodorizes the following hard, nonporous, inanimate surfaces: floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, plastic surfaces (such as polypropylene, polystyrene, acrylic, etc.) For use in federally inspected meat and poultry plants, as a disinfectant agent for use in all departments. Food products and packaging materials must be removed from the room or carefully protected. Use product in accordance with its label. All surfaces must be thoroughly rinsed with potable water.

Effective against the following pathogens:

Bacteria: Pseudomonas aeruginosa², Staphylococcus aureus², Salmonella enterica, Acinetobacter calcoaceticus, Bordetella bronchiseptica, Chlamydia psittaci, Staphylococcus aureus - Community Associated Methicillin - Resistant (CA-MRSA) (NRS384) (USA300), Staphylococcus aureus - Community Associated Methicillin - Resistant (CA-MRSA) (NRS123) (USA400), Enterobacter cloacae - NDM-1, Enterococcus faecalis - Vancomycin Resistant (VRE), Escherichia coli - NDM-1, Fusobacterium necrophorum, Klebsiella aerogenes, Klebsiella pneumoniae², Klebsiella pneumoniae - NDM-1, Legionella pneumophila, Listeria monocytogenes, Pasteurella multocida, Proteus mirabilis, Proteus vulgaris, Salmonella enteritidis, Salmonella typhi, Serratia marcescens, Shigella flexneri, Shigella sonnei, Staphylococcus aureus - Methicillin Resistant (MRSA), Staphylococcus aureus - Vancomycin Intermediate Resistant (VISA), Staphylococcus epidermidis³, Streptococcus faecalis², Streptococcus pyogenes (Strep).

Viruses: *Adenovirus Type 7 - at 8 oz. per gallon, *Hepatitis B Virus (HBV), *Hepatitis C Virus (HCV), *Herpes Simplex Virus Type 1, *Herpes Simplex Virus Type 2, *Human coronavirus, *HIV-1 (AIDS virus), *Influenza A Virus, *Rotavirus (WA), *Respiratory Syncytial Virus (RSV), *Rubella Virus, *SARS Associated Coronavirus, *SARS-Related Coronavirus 2 (SARS-CoV-2), *Vaccinia virus.

Animal Viruses: *Avian Influenza virus (H5N1), *Avian polyomavirus, *Canine distemper virus, *Feline leukemia virus, *Feline picornavirus, *Infectious bovine rhinotracheitis virus, *Infectious bronchitis virus (Avian IBV), *Newcastle Disease virus, *Pseudorabies virus (PRV), *Rabies virus, *Transmissible Gastroenteritis virus (TGE).

Fungi: Aspergillus niger, Candida albicans, Trichophyton interdigitale (Athlete's Foot Fungus) (may cause Ringworm).

If you don't understand the label, find someone to explain it to you in detail.

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

DISINFECTION DILUTION: 1:64 (660 ppm quat) 2 ounces per gallon of water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not for use on medical device surfaces.

DISINFECTION / CLEANING / DEODORIZING DIRECTIONS: Remove visible soil deposits from surface, then visibly wet surface with a use-solution of 2 ounces of the concentrate per gallon of water. Use 8 oz. per gallon of water to kill Adenovirus Type 7. The use-solution can be applied with a cloth, mop, sponge, or coarse spray or by soaking. For sprayer applications, use a coarse spray device. Spray 6-8 inches from the surface, rub with a brush, cloth or sponge. Do not breathe spray. Let solution remain visibly wet on surface for a minimum of 10 minutes. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. For SARS-CoV-2, treated surfaces* must remain visibly wet for 1 minute. Food contact surfaces must be thoroughly rinsed with potable water. This product must not be used to clean the following food contact surfaces: utensils, glassware and dishes.

For Human Coronavirus, treated surfaces must remain visibly wet for 1 minute. Wipe dry with a clean cloth, sponge or mop or allow to air dry. **For Influenza Virus Type A,** treated surfaces must remain visibly wet for 2 minutes. Wipe dry with a clean cloth, sponge or mop or allow to air dry.

Prepare a fresh use-solution daily or more often if the solution becomes visibly dirty or diluted.

TOILET BOWLS: Swab bowl with brush to remove visible soil prior to cleaning or disinfecting. Clean by applying use-solution around the bowl and up under the rim. Stubborn stains may require brushing. To disinfect, first preclean to remove visible soil, then remove or expel over the inner trap the residual bowl water. Pour in three ounces of the diluted solution. Allow surface to remain visibly wet for a contact time of 10 minutes, then flush.

²ATCC & antibiotic-resistant strain

³Antibiotic-resistant strain only

⁸Hard, non-porous surfaces

Manufactured By:
CANBERRA CORPORATION
3610 N. Holland-Sylvania Rd.
Toledo, OH 43615
P 419-841-6616 • F 419-841-7597

FUNGICIDAL DIRECTIONS: For use in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities follow disinfection directions.

MILDEWSTATIC INSTRUCTIONS: Will effectively control the growth of mold and mildew, plus the odors caused by them when applied to hard, nonporous surfaces such as walls, floors, and table tops. Apply use-solution of 2 ounces per gallon of water with a cloth, mop, sponge or coarse spray. Make sure to visibly wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears.

***KILLS HIV-1 (AIDS VIRUS) AND HBV (HEPATITIS B VIRUS) AND HCV (HEPATITIS C VIRUS) ON PRECLEANED, HARD NON-POROUS ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1(HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR DISINFECTION, CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OR HBV OR HCV ON SURFACES/OBJECTS SOILED WITH BLOOD / BODY FLUIDS:

PERSONAL PROTECTION: Disposable protective gloves, gowns, face masks and eye coverings must be worn during all cleaning of blood/body fluids and during decontamination procedures.

CLEANING PROCEDURES: Blood/body fluids must be visibly cleaned from surfaces/objects before application of disinfectant.

CONTACT TIME: Mix 2 oz. of product per gallon of water. HIV-1 (AIDS Virus) is inactivated after a contact time of 4 minutes at 25°C (77°F) room temperature. HBV and HCV are inactivated after a 10 minute contact time. Use appropriate contact time as listed on label for all other viruses, bacteria, and fungi claimed.

DISPOSAL OF INFECTIOUS MATERIALS: Blood/body fluids must be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

VETERINARY PRACTICE / ANIMAL CARE / ANIMAL LABORATORY / ZOOS / PET SHOP / KENNELS DISINFECTION DIRECTIONS: For cleaning and disinfecting hard nonporous surfaces: equipment used for animal food or water, utensils, instruments, cages, kennels, stables, catteries, etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Visibly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of 2 oz. of this product per gallon of water. Allow surfaces to remain visibly wet for a period of 10 minutes. Use 8 oz per gallon of water to kill Adenovirus Type 7. Immerse all animal handling and restraining equipment as well as forks, shovels and scrapers used to remove litter and manure. Wipe or allow to air dry. Ventilate buildings and other closed spaces. Thoroughly scrub all treated surfaces that come into contact with food, including equipment used for feeding or watering, with soap or detergent and rinse with potable water before reuse. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

For Heavy Duty Cleaning and/or Odor Control: When greater cleaning is desired, use 4-8 oz. of this product per gallon of water. Visibly soiled areas may require repeated cleaning before treatment.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Open dumping is prohibited. Store in original container in areas inaccessible to children.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses). Harmful if inhaled. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.



Trio

Ocean Tide Fragrance

800

One-Step Disinfectant

Cleans & Deodorizes

Fungicidal

ACTIVE INGREDIENTS:

Didecyl dimethyl ammonium chloride2.54%

n-Alkyl (C₁₄ 50%, C₁₂ 40%, C₁₆ 10%)

dimethyl benzyl ammonium chloride.....1.69%

INERT INGREDIENTS: 95.77%

TOTAL: 100.00%

EPA REG. NO. 47371-131-8155 EPA EST. NO. 8155-OH-1

KEEP OUT OF REACH OF CHILDREN DANGER

See back panel for Precautionary Statements.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

NOTETO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

NET CONTENTS:

One Gallon (128 Fl. Oz.) (3.78 liters)



010522 Label#2141