Effective in 10 minutes against Tb

Designed for healthcare

Effective against 2019 SARS-CoV-2 (COVID-19 virus) on hard, nonporous surfaces

### **ACTIVE INGREDIENTS:**

Hydrogen Peroxide	27.39
Peroxyacetic Acid	
OTHER INGREDIENTS:	
TOTAL:	100.09

# **KEEP OUT OF REACH OF CHILDREN DANGER**

See back panel for additional precautionary statements.

FIRST AID: In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment, IF IN EYES: Hold eve open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eve. IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. **IF SWALLOWED**: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison to control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED: Move person  $\bar{z}$ to fresh air. If person is not breathing, call 911 or an  $\stackrel{\circ}{-}$ ambulance, then give artificial respiration, preferably 5 mouth- to-mouth, if possible.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Effective in 2 minutes against Clostridioides difficile spores.

This product is a hospital-use, germicidal disinfectant, cleaner and deodorant designed for general cleaning, and disinfecting, of hard, non-porous surfaces.

This product when used as directed is formulated to disinfect, hard non-porous surfaces such as hospital beds, bed railings, bedpans, gurneys, traction devices, MRI, CAT, examining tables, scales, paddles and wheelchairs. For use in hospitals, nursing homes, medical and dental offices and clinics, healthcare facilities, operating rooms, patient care rooms and facilities, recovery rooms, and emergency rooms

SPORICIDAL PERFORMANCE AGAINST C. DIFFICILE SPORES: This product kills and/or inactivates the following spore in 2 minutes at 4 fl. oz. per gal, of 400 ppm hard water, on hard, non-porous surfaces: Clostridioides difficile.

DISINFECTION PERFORMANCE: This product kills the following bacteria in 2 minutes at 4 fl. oz. per gal. of 400 ppm hard water and 5% soil, on hard, non-porous surfaces: Acinetobacter baumannii, Bordetella pertussis, Enterococcus faecalis Vancomycin Resistant (VRE), Escherichia coli, Escherichia coli (Extended Spectrum B-Lactamase) (ESBL), Klebsiella pneumoniae, Klebsiella pneumoniae Carbapenem Resistant, Proteus mirabilis, Pseudomonas aeruginosa, Salmonella enterica, Staphylococcus aureus, Staphylococcus aureus Community Acquired Methicillin Resistant (Genotype USA300). Staphylococcus aureus Community Acquired Methicillin Resistant (Genotype USA400) Staphylococcus aureus Methicillin Resistant (MRSA), Staphylococcus aureus Vancomycin Intermediate Resistant (VISA), Streptococcus pneumoniae, Streptococcus pyogenes

TUBERCULOCIDAL PERFORMANCE: This product kills the following mycobacteria in 10 minutes at 4 fl. oz. per gal. of 400 ppm hard water (1844 ppm active PAA) and 5% soil at 21°C, on hard, non-porous surfaces: Mycobacterium bovis (Tb)

VIRUCIDAL\* PERFORMANCE: This product kills the following viruses in 2 minutes at 4 fl. oz. per gal. of 400 ppm hard water and 5% soil, on hard, non-porous surfaces: Adenovirus Type 5, Hepatitis B Virus ‡ (HBV) (Duck Hepatitis B Virus), Hepatitis C Virus ‡ (HCV) (Bovine Viral Diarrhea Virus), Hernes Simplex Type 1 Virus, Hernes Simplex Type 2 Virus, Human Immunodeficiency Virus Type 1 (HIV-1) (AIDS Virus), Influenza A Virus (Hong Kong), Norovirus, Respiratory Syncytial Virus (RSV), Rhinovirus Type 37, Rotavirus, Vaccinia Virus, SARS-CoV-2 (COVID-19 virus).

± Indicates a 5-minute contact time is required for this claim

FUNGICIDAL PERFORMANCE: This product is effective against the following organisms in 2 minutes at 4 fl. oz. per gal. of 400 ppm hard water and 5% soil, on hard, non-porous surfaces: Candida albicans, Trichophyton interdigitale (Athlete's foot fungus)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is not for use on medical device surfaces.

FOR USE AS A GENERAL, HOSPITAL DISINFECTANT, VIRUCIDE\*, FUNGICIDE, CLEANER: Pre-clean visibly soiled areas. Apply use solution of 4 fl. oz. of this product per gal, of water to disinfect hard, non-porous surfaces with a sponge, brush, cloth, mop. Treated surfaces must remain visibly wet for 2 minutes. Wipe dry with a clean cloth or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. Prepare a fresh solution daily or when visibly dirty

FOR USE AS A TUBERCULOCIDE: Pre-clean visibly soiled areas. Apply use solution of 4 fl. oz. of this product per gallon of water at 21°C (70°F) minimum to disinfect hard, nonporous surfaces with a sponge, brush, cloth, mop. Treated surfaces must remain visibly wet for 10 minutes. Wipe dry with a clean cloth or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. Prepare a fresh solution daily or

FOR USE AS A DISINFECTANT WITH SPORICIDAL ACTIVITY AGAINST CLOSTRIDIOIDES **DIFFICILE SPORES:** Pre-clean surfaces. Fecal matter/waste must be thoroughly cleaned from surfaces/objects before disinfection by application with a clean cloth, mop, and/or sponge saturated with the disinfectant product. This cleaning may be accomplished with any cleaning solution, including this product. Cleaning is to include vigorous wiping and/ or scrubbing, until all visible soil is removed. Special attention is needed for high-touch surfaces. Surfaces in patient rooms are to be cleaned in an appropriate manner, such as from right to left or left to right, on horizontal surfaces, and top to bottom, on vertical

surfaces, to minimize spreading of

the spores. Restrooms are to be

cleaned last. Do not reuse soiled

cloths. Apply use solution of 4 fl.

Manufactured For: **CANBERRA CORPORATION** 3610 N. Holland-Sylvania Rd. Toledo, OH 43615 P 419-841-6616 • F 419-841-7597

oz. of this product per gal. of water to disinfect hard, non-porous surfaces with a sponge brush, cloth, mop. Treated surfaces must remain visibly wet for 2 minutes. Wipe dry with a clean cloth or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished. Prepare a fresh solution daily or when visibly dirty. Note: Materials used in the cleaning process that may contain feces/wastes are to be disposed of immediately in accordance with local regulations for infectious materials disposal

\*KILLS HIV-1, HBV AND HCV ON PRE-CLEANED HARD, NON-POROUS SURFACES/ OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV)

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 HBV AND HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. Personal Protection: Wear protective latex gloves, gowns, masks and eye protection. Cleaning Procedure: Blood and other body fluids containing HIV-1, HBV and HCV must be thoroughly cleaned from hard, non-porous surfaces and objects before application of this product. Disposal of Infectious Materials: Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. Contact Time: ± Allow surface to remain visibly wet for 2 minutes for HIV-1, 5 minutes for HBV and HCV at 4 fl. oz. of this product per

FOR USE AS A GENERAL CLEANER AND/OR DEODORIZER: Apply a use solution of 2 fl. oz. of this product per gal. of water (or equivalent use dilution) to hard, non-porous surfaces. Wipe up excess liquid with a paper towel or allow to air dry. For heavy-duty use, add 4 fl. oz. of this product per gal. of water to clean hard, non-porous surfaces.

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal

PESTICIDE STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance

CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container Triple rinse container promptly after emptying, Triple rinse as follows; Fill the container 1/4 full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. Causes irreversible eye damage and skin burns. Harmful if swallowed. May be fatal if inhaled. Do not get into eyes, on skin or on clothing. Do not breathe vapors or spray mist. Wear googles or face shield and chemical-resistant gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds, fish and aquatic invertebrates.

This pesticide is toxic to birds, fish and aquatic invertebrates.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT. CORROSIVE. Mix only with potable water at 60 - 80°F.

Product must be diluted in accordance with label directions prior to use. This product is not combustible; however, at temperatures exceeding 156°F, decomposition occurs releasing oxygen. The oxygen release could initiate combustion. Never bring this product into contact with other sanitizers, cleaners or organic substances.

**NET CONTENTS:** 

EPA REG. NO. 10324-214-8155

One Gallon (128 Fl. Oz.) 3.78 Liters

EPA EST. NO. 8155-0H-1