

This product contains no phosphates or phosphorous compounds. Cleans¹ and disinfects¹ in one easy step when used according to disinfection directions. Use this product on non-food contact surfaces in: Dental Offices, Hospitals, Medical Offices, Nursing homes, Long term care facilities, Day care centers, Food processing plants, Athletic facilities, Business and office buildings, Colleges, Correctional facilities, Dressing rooms, Exercise facilities, Locker rooms, Hotels, Auditoriums, Airplanes, Taxis, Buses, Ships, veterinary clinics, kennels, pet animal quarters

Use this product on washable hard, non-porous, non-food contact surfaces of: Appliances-exterior, Bathroom fixtures, Cabinets, Countertops, Desks, Doorknobs, Floors, Garbage cans, Kennel runs, Showers, Sinks, stovetops, Tables, Telephones, Toilet bowls, Walls. Other hard, non-porous surfaces made of: Glazed ceramic, Glazed enameled surfaces, Glazed porcelain, Laminated surfaces, Metal, Plastic, Sealed stone, Stainless steel, Finished Woodwork This product is a one-step disinfectant¹. Bactericidal according to the current AOAC Use Dilution Test Method and Virucidal* according to the virucidal qualification modified in the presence of 250 ppm hard water plus 5% organic serum against: **5 minute contact time:** Bacteria: Pseudomonas aeruginosa, Salmonella enterica, Staphylococcus aureus, Acinetobacter baumannii, Enterobacter aerogenes, Enterococcus faecalis - Vancomycin resistant (VRE), Escherichia coli, Escherichia coli O157:H7, Klebsiella pneumoniae, Staphylococcus aureus - Community Associated Methicillin-Resistant (CA-MRSA) (NRS384) (USA300), Staphylococcus aureus - Methicillin-Resistant (MRSA), Staphylococcus aureus - Vancomycin Resistant - (VRSA), Streptococcus pyogenes Viruses: *Hepatitis B Virus (HBV), *Hepatitis C Virus (HCV), *Herpes Simplex Virus Type 1, *Herpes Simplex Virus Type 2, *HIV-1 (AIDS virus), *Human Coronavirus, *Influenza A Virus (H7N9), *Influenza A virus / H3N2 Influenza Virus, *Norwalk Virus - Norovirus, *Respiratory Syncytial Virus (RSV), *SARS associated Coronavirus (SARS), *Vaccinia **Animal Viruses:** *Avian Influenza (H5N1), *Feline Calicivirus **Fungi:** Candida albicans **10 Minute Contact time: Fungi:** Trichophyton interdigitale (athlete's foot fungus). **Animal Viruses:** Canine parvovirus.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.

Before use in federally inspected meat and poultry food processing plants and dairies, food products and packaging materials must be removed from the room or carefully protected.

Preparation of Disinfectant Use-Solution: Add 1 oz. per gallon of water. For fungicidal activity against Trichophyton interdigitale, dilute 4 oz. of the concentrate with water to make 1 gallon of the disinfectant solution (1:31). For virucidal activity against Canine Parvovirus, dilute 8 oz. of the concentrate with water to make 1 gallon of the disinfectant solution (1:15).

DISINFECTION/VIRUCIDAL/FUNGICIDAL: Apply use-solution to hard, non-porous, non-food contact surfaces, thoroughly wetting surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain visibly wet for 5 minutes (10 minutes for Trichophyton interdigitale and Candida auris and Canine Parvovirus. For SARS-CoV-2, treated surfaces must remain visibly wet for 1 minute. Wipe dry with a cloth, sponge or mop or allow to air dry. For visibly soiled areas, a preliminary cleaning is required. For sprayer applications, use a coarse spray device. Spray 6-8 inches from the surface. Do not breathe spray.

Bactericidal Stability of Spray Use-Dilution: Tests confirm that the use solution of this product, when stored in a sealed container such as a spray bottle, remains effective for 2 weeks. If product becomes visibly dirty or contaminated, the use-dilution must be discarded and fresh product prepared. Always use clean, properly labeled containers when diluting this product. Bactericidal stability of the use-dilution does not apply to open containers such as buckets or pails.

This product is not for use on medical device surfaces.

To disinfect food processing facilities: Spray surfaces with solution and allow to remain visibly wet for 5 minutes. Rinse food contact surfaces with potable water prior to reuse.

***KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

Special Instructions for Cleaning and Decontamination against HIV-1 or HBV or HCV on Surfaces/Objects Soiled With Blood/Body Fluids. Personal Protection: Cleanup must always be done wearing protective gloves, gowns, masks and eye protection.

Cleaning Procedure: Blood and other body fluids containing HIV-1 or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of this product. **Contact Time:** Leave surface visibly wet for 5 minutes with a 1 oz. per gallon use solution.

Disposal of Infectious Material: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

For use as a One-Step Cleaner and Disinfectant Against Bacteria and Viruses by Electrostatic Spraying¹:

Electrostatic spray application is for efficacy claims with a 5 minute contact time and 1:128 dilution. This application method is not to be used to treat surfaces for Canine parvovirus or fungicidal claims.

Ensure bystanders and pets are not present in the room during application.

Clean visibly dirty surfaces prior to spraying.

Wear a N95 filtering facepiece respirator or half face respirator with a N95 filter and eye protection (goggles, face shield or safety glasses) when spraying.

Select a spray nozzle that produces spray droplet particles with a volume median diameter (VMD) ≥80 µm.

Place the electrostatic spray function in the ON position for electrostatic spray models that have the functionality to toggle ON/OFF.

Hold the sprayer nozzle 12 inches away from the target surface. Starting at the highest point and working down to the lowest point, spray target surfaces using a smooth methodical "S" pattern. To avoid leaving gaps in sprayed surfaces, overlap previously treated surfaces when moving onto subsequent sections. The target surface must remain visibly wet for 5 minutes. Re-apply product as necessary to keep surface visibly wet for the duration of the contact time. Wipe surfaces dry (or rinse) (or allow to air dry).

Allow the treated room to remain unoccupied for 15 minutes before reentering.

NON-ACID TOILET BOWL AND URINAL DISINFECTANT/CLEANER DIRECTIONS: Remove visible filth prior to disinfection.

From Concentrate: Add 1 oz. to the bowl and mix. Brush over exposed surfaces and under the rim; allow to remain visibly wet for 5 minutes and flush.

From Use Solution: Empty toilet bowl or urinal and apply 1-4 oz. per gallon use-solution to exposed surfaces and under the rim with a cloth, mop, sponge or mechanical spray. Brush or swab thoroughly; allow to remain visibly wet for 5 minutes and flush.

FOR USE ON FINISHED FLOORS: To limit gloss reduction use this product at 1 oz. per gallon or 1 - 2 oz. per gallon. Apply with a damp mop, spray mop system or auto scrubber or spray. Allow surface to remain visibly wet for 5 minutes. Wipe or allow to air dry.

VETERINARY PRACTICE/ANIMAL CARE/ANIMAL LABORATORY/ZOO/PET SHOP/KENNELS DISINFECTION/VIRUCIDAL DIRECTIONS: For cleaning and disinfecting hard, non-porous surfaces: equipment used for feeding or watering animals, utensils, instruments, cages, kennels, stables, catteries. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Using the appropriate dilution, saturate surfaces with a use-solution of this product, allow to remain visibly wet for a period of 5 minutes (10 minutes for Trichophyton interdigitale and Canine Parvovirus). Wipe or allow to air dry. Immerse all animal handling and restraining equipment as well as forks, shovels, and scrapers used to remove litter and manure. Rinse all surfaces that come into contact with food, including equipment used for feeding or water, with potable water before reuse. Ventilate buildings and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

DISINFECTION OF WHIRLPOOL UNITS: After using the whirlpool unit, drain and refill with fresh water to just cover the intake valve. Add 1 oz. of this product for each gallon of fresh water added. Start the pump to circulate the solution. Wash down the sides, seat of chair lift, and any uncovered surfaces on the unit with a clean swab, brush or sponge. Treated surfaces must remain visibly wet for a minimum of 5 minutes. After the unit has been thoroughly disinfected, drain the solution from the unit and rinse the disinfected surfaces with fresh water. Wipe dry with a clean sponge or cloth or allow to air dry. Repeat for visibly heavily soiled units.

TO CLEAN AND DEODORIZE: Mix 1 - 4 oz. of this product per gallon of use-solution to clean and deodorize surfaces. Use with a sprayer. Wipe or allow to air dry. **DEODORIZING DIRECTIONS: Spray Mopping Solutions:** 1 - 2 oz. per gallon of water eliminates undesirable odors. Allow surfaces to air dry. **Nursing Homes, Hospitals, Hotels, Schools, Restaurants:** Using 1 - 4 oz. in chemical toilets, waste receptacles, bed pans, drainage bottles, diaper pails, hampers, disposals, commodes and air conditioner pans will eliminate odors. **Mopping Solutions, Automatic Scrubbers:** Using 1 - 4 oz. per gallon of cleaning solution eliminates undesirable odors. **Cleaning Solution:** Dilute 1 - 2 oz. per gallon of water for cleaning of kitchen counters, tables, walls, bathrooms, toilet seats, mopping floors and large routine applications. Apply to surfaces using trigger spray or other spray device. Remove excess liquid or allow surfaces to air dry.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Open dumping is prohibited. Store in original container in areas inaccessible to children.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Fill container ¼ full with water and reclose the container. Agitate vigorously, and dispose of rinsate consistent with pesticide disposal instructions. Repeat two more times. Then offer for recycling if available or puncture or dispose in sanitary landfill or by other procedures approved by state and local authorities. Follow pesticide disposal instructions for rinsate. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state, and federal regulations.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. May be fatal if inhaled or absorbed through the skin. Harmful if swallowed. Do not breathe vapor. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective (rubber or chemical resistant) gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

¹On hard, non-porous, non-food surfaces



Cleaner, Disinfectant

Virucide*, Deodorizer

Fungicide

Kills SARS-CoV-2¹, which causes

COVID-19



101822 Label#xxx

ACTIVE INGREDIENTS

Diocetyl dimethyl ammonium chloride.....10.53%

Alkyl (C₁₂, 67%; C₁₄ 25%; C₁₆ 7%; C₁₈ 1%)

dimethyl benzyl ammonium chloride..... 7.02%

OTHER INGREDIENTS**82.45%**

TOTAL **100.00%**

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Have the product container or label with you when calling poison control center or doctor or going for treatment. For general information on product use, etc., call the National Pesticides Information Center at 1-800-858-7378. You may also contact the poison control center at 1-800-222-1222 for emergency medical treatment information.

See side panel for precautionary statements.

Manufactured By:
CANBERRA CORPORATION
3610 N. Holland-Sylvania Rd.
Toledo, OH 43615
P 419-841-6616 • F 419-841-7597