



Q/T TUBERCULOCIDAL SPRAY DISINFECTANT

HUSKY® 814

A ready-to-use, quaternary ammonium disinfectant spray cleaner that is ideal for healthcare facilities due to its extensive list of disinfectant claims including SARS-CoV-2 and Norovirus. Inhibits growth of mold and mildew and controls related odors.

DIRECTIONS

Disinfection, deodorizing and cleaning:

- Remove visible soil prior to application of the product. Hold container six to eight inches from surface to be treated. Allow product to wet the hard non-porous surface for 3 minutes. No scrubbing is necessary. Wipe dry or allow to air dry.

Note: The product will not leave grit or soap scum.

Mildewstat:

- To control non-pathogenic mold and mildew on pre-cleaned, hard, non-porous surfaces spray surface to be treated making sure to wet completely. Let air dry. Repeat application at weekly intervals or when mildew growth appears



Effective Against SARS-CoV-2 On Hard Non-Porous Surfaces In Just 60 Seconds!

Specs

EPA Reg. No: 1839-83-8155
Dilution: RTU
pH Level: 11.7-12.8
Color: Dye-Free
Fragrance: Lemon
Pack Types: Quart, Gallon, 5 Gallon

Features

- Cleaner, Deodorizer and Non-Pathogenic Mildewstat (on hard non-porous inanimate surfaces)
- Tuberculocidal
- Will not scratch or bleach surfaces
- Kills Norovirus in 30 Seconds

Recommended For

- Hard Non-Porous Surfaces
- Floors
- Walls
- Counters
- Sinks
- Appliances
- Metal Surfaces
- Stainless Steel Surfaces
- Glazed Ceramic Tile
- Plastic Surfaces
- Bathrooms



Q/T TUBERCULOCIDAL SPRAY DISINFECTANT

1/2 MINUTE CONTACT TIME:

- Norovirus
- Feline Calicivirus
- Rabies Virus

1 MINUTE CONTACT TIME:

- SARS-CoV-2
- HIV-1 (associated with AIDS)
- Hepatitis B Virus (HBV)
- Hepatitis C Virus (HCV)
- Bovine Viral Diarrhea Virus
- Influenza A Virus H1N1

2 MINUTE CONTACT TIME:

- Avian Influenza A Virus H3N2
- Avian Influenza A Virus H9N2
- Human Coronavirus
- SARS associated Coronavirus

3 MINUTE CONTACT TIME:

- Pseudomonas aeruginosa
- Salmonella (choleraesuis) enterica
- Staphylococcus aureus
- Vanomycin Resistant Enterococcus faecalis (VRE)
- Escherichia coli
- Listeria Monocytogenes
- Yersinia enterocolitica
- Streptococcus pyogenes (Necrotizing Fasciitis-Group A)
- Corynebacterium ammoniagenes
- Rotavirus
- Paramyxovirus (Mumps)
- Methicillin Resistant Staphylococcus epidermis (MRSE)
- Community Associated Methicillin resistant Staphylococcus aureus (CA-MRSA)
- Rhinovirus Type 39
- Vancomycin intermediate resistant Staphylococcus aureus (VISA)

5 MINUTE CONTACT TIME:

- Canine Parvovirus
- Trichophyton interdigitale, formerly Trichophyton metagrophytes
- Hepatitis A Virus

This is not a complete list of organisms and names