

## SAFETY DATA SHEET HUSKY 1230 DISINFECTANT DEODORANT SPRAY

2021-10-19:

## **SECTION 1: IDENTIFICATION**

#### **Product identifier**

Product Name

**Authorization number** 

**Recommended Use** 

**Uses advised against** 

## Manufacturer/Supplier

Canberra Corporation 3610 N. Holland-Sylvania Rd. Toledo Ohio 43615 United States

Telephone: +1 (419) 841-6616 Website: http://canberracorp.com/

e-Mail (competent person)

#### **Emergency telephone number**

#### National poison center

## HUSKY 1230 DISINFECTANT DEODORANT SPRAY

HSK-1230-53 EPA Reg. No. 67603-4-8155

**RTU Disinfectant Cleaner** 

Restrictions on use: Do not use in any fashion not specified on the product label.

regulatorycompliance@canberracorp.com 800-424-9300

800-222-1222

## SECTION 2: HAZARD(S) IDENTIFICATION

#### Classification acc. to GHS

| Serious eye damage/eye irritation.                  | H319. |
|---|-------|
| Skin sensitization.                                 | H317. |
| Specific target organ toxicity - repeated exposure. | H372. |
| Flammable aerosol.                                  | H222. |

#### Label elements

Signal word

#### Pictograms



#### **Hazard statements**

Extremely flammable aerosol. May cause an allergic skin reaction. Causes serious eye irritation. Causes damage to organs through prolonged or repeated exposure.

Danger

#### **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapors/spray. Wear eye protection/face protection. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

## **Other hazards**

of no significance

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Name of substance  | Identifier          | Wt%       |
|--------------------|---------------------|-----------|
| Ethanol            | CAS No<br>64-17-5   | 10 - < 25 |
| Butoxydiglycol     | CAS No<br>112-34-5  | 10 - < 25 |
| Propane            | CAS No<br>74-98-6   | 5 - < 10  |
| Butane             | CAS No<br>106-97-8  | 5 - < 10  |
| Tetrasodium EDTA   | CAS No<br>64-02-8   | 1 - < 5   |
| Sodium Hydroxide   | CAS No<br>1310-73-2 | 1 - < 5   |
| tert-butyl alcohol | CAS No<br>75-65-0   | 1 - < 5   |
| Citral             | CAS No<br>5392-40-5 | 1 - < 5   |

For full text of abbreviations: see SECTION 16.

## SECTION 4: FIRST-AID MEASURES

## **Following inhalation**

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

#### **Following skin contact**

Wash with plenty of soap and water.

#### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

#### **Following ingestion**

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### Indication of any immediate medical attention and special treatment needed

none

#### **SECTION 5: FIRE-FIGHTING MEASURES**

#### Suitable extinguishing media

Water spray, BC-powder

#### Unsuitable extinguishing media

Water jet

#### Special hazards arising from the substance or mixture

#### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

#### Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

#### For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### **Environmental precautions**

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

## **SECTION 7: HANDLING AND STORAGE**

#### **Precautions for safe handling**

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

#### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Flammability hazards

Do not spray on an open flame or other ignition source. Protect from sunlight.

#### Packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

See section 16 for a general overview.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure controls**

#### Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment)

#### **Eye/face protection**

Wear eye/face protection.

#### **Skin protection**

- Hand protection

Wear protective gloves.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

## **Respiratory protection**

SEC

During spraying wear suitable respiratory equipment.

#### **Environmental exposure controls**

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

| ON 9: PHYSICAL AND CHEMICAL PROPERTIES |  |
|--|--|
| Physical state                         | Aerosol (spray aerosol)                                |
| Color                                  | Not determined   |
| Odor                                   | Characteristic   |
| pH (value)                             | not determined   |
| Melting point/freezing point           | Not determined   |
| Evaporation rate                       | Not determined   |
| Flammability (solid, gas)              | Flammable aerosol in accordance with GHS criter-<br>ia |
| Density                                | Not determined   |
| Relative density                       | Information on this property is not available          |
|  |  |

## **SECTION 10: STABILITY AND REACTIVITY**

#### Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

#### **Chemical stability**

See below "Conditions to avoid".

#### Possibility of hazardous reactions

No known hazardous reactions.

#### **Conditions to avoid**

Do not spray on an open flame or other ignition source. Keep away from heat.

Hints to prevent fire or explosion

Protect from sunlight.

#### **Incompatible materials**

Oxidizers

## Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

### Information on toxicological effects

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

#### Acute toxicity

Shall not be classified as acutely toxic.

| Acute toxicity estimate (ATE) of components of the mixture |   |      |                                     |  |  |  |  |
|--|---|------|-------------------------------------|--|--|--|--|
| Name of substance CAS No Exposure route ATE                |   |      |                                     |  |  |  |  |
| Tetrasodium EDTA   | 64-02-8   | oral | 1,913 <sup>mg</sup> / <sub>kg</sub> |  |  |  |  |
| tert-butyl alcohol   | tert-butyl alcohol 75-65-0 inhalation: vapor 11 <sup>mg</sup> /l/4h |      |                                     |  |  |  |  |

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### **Respiratory or skin sensitization**

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

| IARC Monographs on the Evaluation of Carcinogenic Risks to Humans |         |   |  |  |  |  |
|---|---------|---|--|--|--|--|
| Name of substance CAS No Classification Number                    |         |   |  |  |  |  |
| Ethanol   | 64-17-5 | 1 |  |  |  |  |

#### Legend

Carcinogenic to humans

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

## Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## **SECTION 12: ECOLOGICAL INFORMATION**

#### Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### Persistence and degradability

Data are not available.

#### **Bioaccumulative potential**

Data are not available.

#### Mobility in soil

Data are not available.

#### **Results of PBT and vPvB assessment**

Data are not available.

#### **Endocrine disrupting properties**

None of the ingredients are listed.

#### **Other adverse effects**

Data are not available.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packages

Only packagings which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## **SECTION 14: TRANSPORT INFORMATION**

| UN number<br><u>DOT</u>    | UN 1950  |
|----------------------------|--|
| UN proper shipping name    |  |
| DOT                        | Aerosols   |
| Transport hazard class(es) |  |
| DOT                        | 2.1  |
| Packing group              | not assigned   |
| Environmental hazards      | non-environmentally hazardous acc. to the dan-<br>gerous goods regulations |

#### **National regulations (United States)**

#### FIFRA Labeling

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals.

## Superfund Amendment and Reauthorization Act (SARA TITLE III )

- The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

none of the ingredients are listed

- Specific Toxic Chemical Listings (EPCRA Section 313)

| Toxics Release Inventory: Specific Toxic Chemical Listings |         |  |            |  |  |
|--|---------|--|------------|--|--|
| Name of substance CAS No Remarks Effective date            |         |  |            |  |  |
| tert-butyl alcohol   | 75-65-0 |  | 1987-01-01 |  |  |

## Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

| Name of substance | CAS No    | Remarks | Statutory code | Final RQ pounds (Kg) |
|-------------------|-----------|---------|----------------|----------------------|
| Sodium Hydroxide  | 1310-73-2 |         | 1              | 1000 (454)           |

Legend

1

"1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

## **Clean Air Act**

| Name of substance | CAS No   | Type of registra-<br>tion | Basis for listing | Threshold quantity<br>(lbs) |
|-------------------|----------|---------------------------|-------------------|-----------------------------|
| Propane           | 74-98-6  | Flammable sub-<br>stance  | f                 | 10000                       |
| Butane            | 106-97-8 | Flammable sub-<br>stance  | f                 | 10000                       |

Legend

f Flammable gas.

## **Right to Know Hazardous Substance List**

- Cleaning Product Right to Know Act Substance List (CA-RTK)

| Name of substance  | CAS No    | Functionality | Authoritative Lists                                      |
|--------------------|-----------|---------------|--|
| Ethanol            | 64-17-5   | solvents      |  |
| Butoxydiglycol     |           |               | CA TACs  |
| Butane             | 106-97-8  |               | EC Annex VI CMRs - Cat. 1A<br>EC Annex VI CMRs - Cat. 1B |
| Sodium Hydroxide   | 1310-73-2 |               | OEHHA RELS   |
| tert-butyl alcohol | 75-65-0   |               | CA NLs   |
| Citral             | 5392-40-5 |               | EU Fragrance Allergens                                   |

## - Toxic or Hazardous Substance List (MA-TURA)

| Name of substance  | CAS No    | DEP CODE | PBT / HHS /<br>LHS | PBT / HHS<br>Threshold | De Minimis Concen-<br>tration Threshold |
|--------------------|-----------|----------|--------------------|------------------------|---|
| Sodium Hydroxide   | 1310-73-2 |          |                    |                        | 1.0 %                                   |
| tert-butyl alcohol | 75-65-0   |          |                    |                        | 1.0 %                                   |
| Butoxydiglycol     |           | 1022     |                    |                        | 1.0 %                                   |

## - Hazardous Substances List (MN-ERTK)

| Name of substance  | CAS No    | References | Remarks |
|--------------------|-----------|------------|---------|
| Ethanol            | 64-17-5   | Α, Ο       |         |
| Sodium Hydroxide   | 1310-73-2 | A, N, O    |         |
| tert-butyl alcohol | 75-65-0   | Α, Ο       |         |
| Propane            | 74-98-6   | Α, Ο       |         |
| Propane            |           | Ν          |         |
| Propane            |           | А          | gases   |
| Butane             |           | Ν          |         |

Legend

American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physic-al Agents and Biological Exposure Indices for 1992-93", available from ACGIH A

gases N Refers to displacement of air asphyxiation hazard. National Institute for Occupational Safety and Health (NIOSH), "Recommendations for Occupational Safety and Health Standards," August 1988, available from NIOSH, Publications Dissemination Office, Division of Standards Development and Technology Transfer

Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Oc-0 cupational Safety and Health Division

## - Hazardous Substance List (NJ-RTK)

| Name of substance  | CAS No    | Remarks | Classifications      |
|--------------------|-----------|---------|----------------------|
| Ethanol            | 64-17-5   |         | CA<br>MU<br>TE<br>F3 |
| Sodium Hydroxide   | 1310-73-2 |         | CO<br>R1             |
| tert-butyl alcohol | 75-65-0   |         | F3                   |
| Butoxydiglycol     |           |         |                      |
| Propane            | 74-98-6   |         | F4                   |
| Butane             | 106-97-8  |         | F4                   |

Legend

- CA CO Carcinogenic
- Corrosive

Flammable - Third Degree Flammable - Fourth Degree F3

- F4 Mutagenic Reactive - First Degree Teratogenic MU
- R1
- TE

## - Hazardous Substance List (Chapter 323) (PA-RTK)

| Name acc. to inventory    | CAS No    | Classification |
|---------------------------|-----------|----------------|
| ETHANOL                   | 64-17-5   |                |
| SODIUM HYDROXIDE (NA(OH)) | 1310-73-2 | E              |
| 2-PROPANOL, 2-METHYL-     | 75-65-0   | E              |
| GLYCOL ETHERS             |           | E              |
| PROPANE                   | 74-98-6   |                |
| BUTANE                    | 106-97-8  |                |

Legend E

Environmental hazard

## - Hazardous Substance List (RI-RTK)

| Name of substance  | CAS No    | References |
|--------------------|-----------|------------|
| Ethanol            | 64-17-5   | T, F       |
| Sodium Hydroxide   | 1310-73-2 | T, F       |
| tert-butyl alcohol | 75-65-0   | F          |
| Propane            | 74-98-6   | Т          |
| Butane             | 106-97-8  | T, F       |

Legend

Flammability (NFPA®) Toxicity (ACGIH®) F

Т

# California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

| Proposition 65 List of chemicals |         |                        |                      |
|----------------------------------|---------|------------------------|----------------------|
| Name acc. to inventory           | CAS No  | Remarks                | Type of the toxicity |
| ethanol (ethyl alcohol)          | 64-17-5 | in alcoholic beverages | developmental        |

## **NPCA-HMIS® III**

| Category            | Rating | Description  |
|---------------------|--------|--|
| Chronic             | *      | chronic (long-term) health effects may result from repeated overexposure   |
| Health              | 3      | major injury likely unless prompt action is taken and medical treatment is given   |
| Flammability        | 4      | material that rapidly or completely vaporizes at atmospheric pressure and normal ambi-<br>ent temperature or that is readily dispersed in air and burn readily |
| Physical hazard     | 0      | material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive     |
| Personal protection | -      |  |

#### **NFPA® 704**

| Category       | Degree of<br>hazard | Description  |
|----------------|---------------------|--|
| Flammability   | 4                   | material that rapidly or completely vaporizes at atmospheric pressure and normal ambi-<br>ent temperature or that is readily dispersed in air and burn readily |
| Health         | 3                   | material that, under emergency conditions, can cause serious or permanent injury   |
| Instability    | 0                   | material that is normally stable, even under fire conditions   |
| Special hazard |                     |  |

#### **National inventories**

| Country | Inventory  | Status                         |
|---------|------------|--------------------------------|
| EU      | REACH Reg. | all ingredients are listed     |
| US      | TSCA       | not all ingredients are listed |

Legend

REACH Reg. REACH registered substances TSCA Toxic Substance Control Act

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

#### Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text  |
|------|---|
| H222 | Extremely flammable aerosol.                                    |
| H317 | May cause an allergic skin reaction.                            |
| H319 | Causes serious eye irritation.                                  |
| H372 | Causes damage to organs through prolonged or repeated exposure. |

## Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product. Disclaimer: No representation or warranty, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, is made with respect to information concerning the product referred to in this document. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, it is impossible to foresee every health effect or exposure risk incurred by the use of this product. All chemicals present some degree of hazard and should be used with caution. The information in conjunction with their knowledge of the application intended to determine the suitability of this product for such purpose. In no event will the supplier be responsible for any damages of any nature whatsoever, resulting from the use, reliance upon, or the misuse of this information. Furthermore, it is the direct responsibility of the user to comply with all applicable regulations governing the use and disposal of this material.